The key
to a secure
retail environment…

Company Introduction

Myriad Technologies Limited was established in 1992 to design and manufacture anti theft security solutions for the retail industry. Founded by three dedicated entrepreneurs with already 20 years experience in loss prevention, they together successfully built a company that reduces shrinkage and increases sales and profitability for our client's.

Myriad specialise in retail anti theft display security products in the UK and worldwide. Whether it's securing merchandise such as a Tablet, Smartphone, Smartwatch or Camera on open display to Garments, Handbags or Cabinets, we have the solution. With the fast movement of technology, creating live displays for customer interaction is paramount, so being experts in our field we can tailor a security system to meet our client's needs.

With a unique design, reliable product quality and excellent service, our products have been widely used in retail stores such as Vodafone, Tesco, DSG and John Lewis.

Myriad has a management team with a combined 100 years experience in retail security, many since Myriad was founded back in 1992. Together we strive to offer a fast reliable service, great innovative security products while still achieving value for money.

j'adore

HKC
T320
hp
1018

AS1057 Double Protection Adhesive Tag

Frequency: 8.2MHz / 58KHz
Unit Dimension: 60Dia'x16mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 250pcs/ctn; 12.0kgs/ctn; 0.036cbm/ctn

AS1001 Double Protection Box Wrap-S

Frequency: 8.2MHz[*] / 58KHz / 8.2MHz & 58KHz
Unit Dimension: 45Dia'x45mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 250pcs/ctn; 12kgs/ctn; 0.033cbm/ctn

AS1002 Double Protection Box Wrap-M

Frequency: 8.2MHz[*] / 58KHz / 8.2MHz & 58KHz
Unit Dimension: 57Dia'x47mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 100pcs/ctn; 9kgs/ctn; 0.036cbm/ctn

AS1003 Double Protection Box Wrap-L

Frequency: 8.2MHz[*] / 58KHz / 66KHz / 8.2MHz & 58KHz / EM / 8.2MHz & 66KHz
Unit Dimension: 70Dia'x47mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 100pcs/ctn; 11.5kgs/ctn; 0.033cbm/ctn

AS1004 Triple Protection Box Wrap-M

Frequency: 8.2MHz / 58KHz
Unit Dimension: 57Dia'x54mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 100pcs/ctn; 9kgs/ctn; 0.036cbm/ctn

AS1005 Double Protection Box Wrap-L

Frequency: 8.2MHz[*] / 58KHz / 66KHz / 8.2MHz & 58KHz / EM / 8.2MHz & 66KHz
Unit Dimension: 72Dia'x54mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 100pcs/ctn; 12.0kgs/ctn; 0.036cbm/ctn

AS1006 Triple Protection Box Wrap-L

Frequency: 8.2MHz(*) / 58KHz / 66KHz / 8.2MHz & 58KHz / 58KHz & 66KHz
Unit Dimension: 72Dia'x54mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 100pcs/ctn; 12.0Kgs/ctn; 0.036cbm/ctn

AS1027 Triple Protection Box Wrap-M

Frequency: 8.2MHz / 58KHz
Unit Dimension: 72Dia'x51mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 100pcs/ctn; 10kgs/ctn; 0.036cbm/ctn

AS1046 Dummy Spider Wrap

Frequency: 8.2MHz(*) / 58KHz
Unit Dimension: 72Dia'x45mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 100pcs/ctn; 9kgs/ctn; 0.036cbm/ctn

AS1030 Alarm Milk Powder Protector

Frequency: 8.2MHz / 58KHz / 8.2MHz & 58KHz
Unit Dimension: 140Dia'x68mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Type: Metal Cable
Lanyard Length: 200mm or Customized
Lanyard Color: Black or Customized
Packing Details: 25pcs/ctn; 5.5kgs/ctn; 0.033cbm/ctn

AS1038 Alarm Protector

Frequency: 8.2MHz / 58KHz
Unit Dimension: 57Dia'x38x360mm
Plastic Color: Black
Lock: Magnetic Locking
Lanyard Type: Metal Cable
Lanyard Color: Black or Customized
Packing Details: 150pcs/ctn; 14kgs/ctn; 0.028cbm/ctn
Remark: Cable length optional 720/250/500mm

AS1053 Triple Protection Cable Lock

Frequency: 8.2MHz / 58KHz
Unit Dimension: 84.5x38x20mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Length: 175mm/1200mm
Packing Details: 100pcs/ctn; 7kgs/ctn; 0.028cbm/ctn

AS1010 Triple Protection Cable Lock-N

Frequency: 8.2MHz / 58KHz
Unit Dimension: 83x34x23mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Length: 175mm/1200mm
Packing Details: 100pcs/ctn; 6Kgs/ctn; 0.028cbm/ctn

AS1011 Single Protection Cable Lock-D

Frequency: 8.2MHz / 58KHz / 8.2MHz & 58KHz
Unit Dimension: 83x34x23mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Length: 175mm/1200mm
Packing Details: 100pcs/ctn; 6kgs/ctn; 0.028cbm/ctn

AS1022 Triple Protection Functional Tag

Frequency: 8.2MHz / 58KHz
Unit Dimension: 90x38x25mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Length: 175mm/1200mm
Packing Details: 100pcs/ctn; 5.5kgs/ctn; 0.028cbm/ctn

AS1060 Double Protection Cable Lock

Frequency: 58K / 8.2MHz
Unit Dimension: 52x31x23mm
Plastic Color: Grey, White or Customized
Lock: Magnetic Locking
Lanyard Length: 250mm or customized
Packing Details: 500pcs/ctn; 13kgs/ctn; 0.036cbm/ctn

AS1012 Double Protection Tag

Frequency: 8.2MHz / 58KHz
Unit Dimension: 54x41x25mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 250pcs/ctn; 6kgs/ctn; 0.033cbm/ctn

AS1013 Single Protection Pin Without Lanyard

Frequency: N/A
Unit Dimension: 42mmDia'
Plastic Color: Gray, White or Customized
Lock: N/A
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 250pcs/ctn; 8kgs/ctn; 0.033cbm/ctn

AS1018 Double Protection Pin

Frequency: 8.2MHz / 58KHz
Unit Dimension: 50x39x24mm
Plastic Color: Gray, White or Customized
Lock: N/A
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 250pcs/ctn; 8kgs/ctn; 0.033cbm/ctn

AS1019 Triple Protection Pin

Frequency: 8.2MHz / 58KHz
Unit Dimension: 50x39x24mm
Plastic Color: Gray, White or Customized
Lock: N/A
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 250pcs/ctn; 9kgs/ctn; 0.033cbm/ctn

AS1014 Double Protection Pin With Lanyard

Frequency: N/A
Unit Dimension: 42mmDia'
Plastic Color: Gray, White or Customized
Lock: N/A
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 250pcs/ctn; 10kgs/ctn; 0.033cbm/ctn

AS1015 Single Protection Pin With Lanyard

Frequency: N/A
Unit Dimension: 42mmDia'
Plastic Color: Gray, White or Customized
Lock: N/A
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 250pcs/ctn; 10kgs/ctn; 0.033cbm/ctn

HD2001 Mini Square

Frequency: 8.2MHz(*)
Unit Dimension: 48x42mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 10kgs/ctn; 0.028cbm/ctn

HD2002 Large Square

Frequency: 8.2MHz(*)
Unit Dimension: 70x58mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 500pcs/ctn; 10kgs/ctn; 0.033cbm/ctn

HD2003 New Mini Square

Frequency: 8.2MHz(*)
Unit Dimension: 52x43mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 11.5kgs/ctn; 0.033cbm/ctn

HD2007 Mini Round

Frequency: 8.2MHz(*)
Unit Dimension: 42mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 9kgs/ctn; 0.028cbm/ctn

HD2009 Mini Alpha

Frequency: 8.2MHz(*)
Unit Dimension: 50mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 11.5kgs/ctn; 0.036cbm/ctn

HD2010 New Mini Alpha

Frequency: 8.2MHz(*)
Unit Dimension: 50mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 12kgs/ctn; 0.036cbm/ctn

HD2011 Alpha 60

Frequency: 8.2MHz(*)
Unit Dimension: 60mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 500pcs/ctn; 8kgs/ctn; 0.033cbm/ctn

HD2013 R50 Dome

Frequency: 8.2MHz(*)
Unit Dimension: 50Dia'x20mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 10.5kgs/ctn; 0.036cbm/ctn

HD2014 UFO-Commander

Frequency: 8.2MHz(*)
Unit Dimension: 53Dia'x21mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 11kgs/ctn; 0.036cbm/ctn

HD2016 Mini Cone

Frequency: 8.2MHz(*)
Unit Dimension: 45mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 10kgs/ctn; 0.028cbm/ctn

HD2017 Super Cone

Frequency: 8.2MHz(*)
Unit Dimension: 40mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 10kgs/ctn; 0.028cbm/ctn

HD2020 Cone

Frequency: 8.2MHz(*)
Unit Dimension: 64mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 500pcs/ctn; 8kgs/ctn; 0.033cbm/ctn

HD2022 M50 without Pin

Frequency: 8.2MHz(*) / 58KHz / 66KHz
Unit Dimension: 50mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 500pcs/ctn; 7kgs/ctn; 0.028cbm/ctn

HD2023 R50

Frequency: 8.2MHz(*)
Unit Dimension: 50mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 12kgs/ctn; 0.036cbm/ctn

HD2024 S50

Frequency: 8.2MHz(*)
Unit Dimension: 50mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 12kgs/ctn; 0.036cbm/ctn

HD2028 Hard Tag For Alarming Pin

Frequency: 8.2MHz(*) / 58KHz / 8.2MHz & 58KHz
Unit Dimension: 40mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 8.5kgs/ctn; 0.028cbm/ctn

HD2029 Mini Pencil

Frequency: 8.2MHz / 58KHz / 66KHz
Unit Dimension: 50x14x20mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 9kgs/ctn; 0.018cbm/ctn

HD2030 Max Pencil

Frequency: 8.2MHz / 58KHz / 66KHz
Unit Dimension: 51x13x19mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 9.5kgs/ctn; 0.018cbm/ctn

HD2031 Di Pencil

Frequency: 8.2MHz / 58KHz
Unit Dimension: 45.5x19x12mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 9.5kgs/ctn; 0.018cbm/ctn

HD2032 Super Pencil

Frequency: 8.2MHz / 58KHz / 66KHz
Unit Dimension: 54.8x19x13mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 11kgs/ctn; 0.018cbm/ctn

HD2033 Ultra Pencil

Frequency: 8.2MHz / 58KHz
Unit Dimension: 45x19x12mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 8kgs/ctn; 0.013cbm/ctn

HD2034 Long Pencil

Frequency: 8.2MHz / 58KHz / 66KHz
Unit Dimension: 61.6x15.4x19.8mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 12.5kgs/ctn; 0.022cbm/ctn

HD2035 Fish Tag

Frequency: 8.2MHz / 58KHz
Unit Dimension: 54x18.4x15.2mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 10kgs/ctn; 0.018cbm/ctn

HD2036 Light Weight Tag

Frequency: 8.2MHz / 58KHz
Unit Dimension: 54x18.4x15.2mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 10kgs/ctn; 0.018cbm/ctn

HD2037 New Pencil

Frequency: 8.2MHz
Unit Dimension: 46.5x16.5x15.5mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 7.5kgs/ctn; 0.018cbm/ctn

HD2210 Ultra Fish Tag

Frequency: 58KHz
Unit Dimension: 72x17x18mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 14.7kgs/ctn; 0.028cbm/ctn

HD2045 Hard Tag

Frequency: 8.2MHz / 58KHz / 66KHz
Unit Dimension: 69x26x22mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 14kgs/ctn; 0.033cbm/ctn

HD2046 Hard Tag

Frequency: 8.2MHz / 58KHz
Unit Dimension: 51x26x22mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 10.5kgs/ctn; 0.024cbm/ctn

HD2047 Hard Tag

Frequency: 8.2MHz(*) / 58KHz
Unit Dimension: 50x26x18mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 7kgs/ctn; 0.028cbm/ctn

HD2053 Two-in-One Locking Tag

Frequency: 8.2MHz / 58KHz / 66KHz
Unit Dimension: 80.8x30.2x20.7mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking & Compatible with Sensormatic Detacher
Packing Details: 500pcs/ctn; 9kgs/ctn; 0.028cbm/ctn

HD2057 X Pencil

Frequency: 8.2MHz / 58KHz
Unit Dimension: 25x30x20mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 2000pcs/ctn; 17.5kgs/ctn; 0.028cbm/ctn

HD2058 Ark Tag-AX

Frequency: 8.2MHz / 58KHz
Unit Dimension: 27x26x19mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 8kgs/ctn; 0.018cbm/ctn

HD2059 Hard Tag

Frequency: 8.2MHz / 58KHz / 66KHz
Unit Dimension: 45x36.8x21.5mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 14kgs/ctn; 0.036cbm/ctn

HD2060 Hard Tag

Frequency: 8.2MHz / 58KHz
Unit Dimension: 24.6x23x18.2mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 2000pcs/ctn; 13kgs/ctn; 0.024cbm/ctn

HD2061 Mini Comma

Frequency: 8.2MHz / 58KHz
Unit Dimension: 44x32x21mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 12kgs/ctn; 0.028cbm/ctn

HD2065 Tear Drop-MX

Frequency: 8.2MHz / 58KHz / 66KHz
Unit Dimension: 55x40x20mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 12kgs/ctn; 0.033cbm/ctn

HD2067 Gown Mate

Frequency: 8.2MHz / 58KHz / 66KHz
Unit Dimension: 39.5x18.5x8.2mm
Plastic Color: Gray, White or Customized
Lock: N/A
Packing Details: 2000pcs/ctn; 11kgs/ctn; 0.022cbm/ctn

HD2068 AM Diamond Tag

Frequency: 58KHz
Unit Dimension: 36x22x8.6mm
Plastic Color: Gray, White or Customized
Lock: N/A
Packing Details: 2000pcs/ctn; 12kgs/ctn; 0.024cbm/ctn

HD2071 Stop Lock

Frequency: N/A
Unit Dimension: 38.9x19x15.42mm
Inner Dia': 6mm
Plastic Color: Red or Customized
Lock: Magnetic Locking
Packing Details: 2000pcs/ctn; 12kgs/ctn; 0.028cbm/ctn

HD2072 Golf Tag I

Frequency: 58KHz
Unit Dimension: 35x34x39.5mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 500pcs/ctn; 11kgs/ctn; 0.033cbm/ctn

HD2073 Golf Tag II

Frequency: 8.2MHz / 58KHz
Unit Dimension: 61.5x53x20.1mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 250pcs/ctn; 8kgs/ctn; 0.024cbm/ctn

HD2074 Golf Tag IV

Frequency: 8.2MHz / 58KHz
Unit Dimension: 56x33.5x28.6mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 500pcs/ctn; 12kgs/ctn; 0.028cbm/ctn

HD2081 Mini Dome

Frequency: 8.2MHz(*) / 58KHz
Unit Dimension: 45mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 500pcs/ctn; 7kgs/ctn; 0.028cbm/ctn

HD2082 Dome

Frequency: 8.2MHz(*) / 58KHz
Unit Dimension: 54mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 500pcs/ctn; 9kgs/ctn; 0.036cbm/ctn

HD2084 Golf

Frequency: 8.2MHz(*) / 58KHz / 66KHz
Unit Dimension: 63mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 250pcs/ctn; 6kgs/ctn; 0.028cbm/ctn

HD2085 X50 with Pin

Frequency: 8.2MHz(*) / 58KHz
Unit Dimension: 50mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 500pcs/ctn; 8kgs/ctn; 0.036cbm/ctn

HD2086 X40 with Pin

Frequency: 8.2MHz(*)
Unit Dimension: 40mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 1000pcs/ctn; 11kgs/ctn; 0.039cbm/ctn

HD2087 X60 with Pin

Frequency: 8.2MHz(*) / 58KHz
Unit Dimension: 60mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 250pcs/ctn; 6kgs/ctn; 0.028cbm/ctn

HD2090 New X50 with Own Pin

Frequency: 8.2MHz(*)
Unit Dimension: 50mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 500pcs/ctn; 8kgs/ctn; 0.033cbm/ctn

HD2175 UFO-Commander with Own Pin

Frequency: 8.2MHz(*)
Unit Dimension: 42Dia'x30mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Pin Length: 17mm
Pin Shaft: Smooth Pin
Packing Details: 500pcs/ctn; 7kgs/ctn; 0.028cbm/ctn

HD2091 Picco 50

Frequency: 8.2MHz(*)
Unit Dimension: 52mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 500pcs/ctn; 8kgs/ctn; 0.033cbm/ctn

HD2092 Picco 40

Frequency: 8.2MHz(*)
Unit Dimension: 42mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 500pcs/ctn; 7kgs/ctn; 0.028cbm/ctn

HD2094 Picco 30

Frequency: 8.2MHz(*)
Unit Dimension: 30mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 1000pcs/ctn; 8kgs/ctn; 0.028cbm/ctn

HD2149 Yurta Tag With Hole

Frequency: 8.2MHz(*)
Unit Dimension: 30Dia'x18mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 8kgs/ctn; 0.028cbm/ctn

HD2181 Yurta Tag with Own Pin

Frequency: 8.2MHz(*)
Unit Dimension: 33Dia'x24.1mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Pin Length: 16mm
Pin Shaft: Smooth Pin
Packing Details: 1000pcs/ctn; 10kgs/ctn; 0.033cbm/ctn

HD2097 Razorpack Tag

Frequency: 8.2MHz / 58KHz
Unit Dimension: 43.5x28x19.9mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Pin Length: 18.5mm or Customized
Pin Shaft: Smooth Pin
Packing Details: 500pcs/ctn; 8.5kgs/ctn; 0.018cbm/ctn

HD2099 Razorpack Tag

Frequency: 8.2MHz(*) / 58KHz / 8.2MHz & 58KHz
Unit Dimension: 57x55x24mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Pin Length: 16mm or Customized
Pin Shaft: Smooth
PinPacking Details: 500pcs/ctn; 9kgs/ctn; 0.033cbm/ctn

HD2100 Clutch

Frequency: N/A
Unit Dimension: 27Dia'x19mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 2000pcs/ctn; 11kgs/ctn; 0.028cbm/ctn

HD2101 Clutch

Frequency: N/A
Unit Dimension: 19Dia'x16mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 5000pcs/ctn; 18kgs/ctn; 0.022cbm/ctn

HD2150 New Clamp Tag

Frequency: 8.2MHz / 58KHz
Unit Dimension: 57x50x18mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 500pcs/ctn; 15kgs/ctn; 0.033cbm/ctn

HD2105 Mickey Pencil-B with Lanyard

Frequency: 8.2MHz / 58KHz / 66KHz
Unit Dimension: 53x12x20mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Type: LD3603
Lanyard Length: 175mm or Customized
Lanyard Color: Black, White or Customized
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Misc Info: With Pin
Packing Details: 1000pcs/ctn; 11kgs/ctn; 0.028cbm/ctn

HD2107 Ark Tag-MX With LD3603

Frequency: 8.2MHz / 58KHz / 66KHz
Unit Dimension: 39x25x19mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Type: LD3603
Lanyard Length: 175mm or Customized
Lanyard Color: Black, White or Customized
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Misc Info: With Pin
Packing Details: 1000pcs/ctn; 11kgs/ctn; 0.028cbm/ctn

HD2108 Ark Tag-MX With LD3604

Frequency: 8.2MHz / 58KHz / 66KHz
Unit Dimension: 39x25x19mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Type: LD3604
Lanyard Length: 150mm
Lanyard Color: Clear or Customized
Pin Length: 17mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Misc Info: With Pin
Packing Details: 500pcs/ctn; 7kgs/ctn; 0.022cbm/ctn

HD2109 Ark Tag-MX

Frequency: 8.2MHz / 58KHz / 66KHz
Unit Dimension: 39x25x19mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Type: N/A
Lanyard Length: N/A
Lanyard Color: N/A
Misc Info: N/A
Packing Details: 1000pcs/ctn; 9kgs/ctn; 0.022cbm/ctn

HD2110 Hard Tag With Lanyard

Frequency: 8.2MHz / 58KHz
Unit Dimension: 28.5x18.5x23mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Type: LD3603
Lanyard Length: 60mm or Customized
Lanyard Color: Black, White or Customized
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Misc Info: With Pin
Packing Details: 1000pcs/ctn; 8kgs/ctn; 0.018cbm/ctn

BD3301 R50 Ink Tag

Frequency: 8.2MHz(*) / 58KHz / 66KHz
Unit Dimension: 50Dia'x20mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Ink Color: Yellow, Red, Blue or Customized
Packing Details: 500pcs/ctn; 8kgs/ctn; 0.028cbm/ctn

BD3302 R50 Ink Tag

Frequency: 8.2MHz(*) / 58KHz
Unit Dimension: 50Dia'x19mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Ink Color: Yellow, Red, Blue or Customized
Packing Details: 1000pcs/ctn; 13kgs/ctn; 0.036cbm/ctn

BD3304 Ink Tag

Frequency: 8.2MHz / 58KHz / 66KHz
Unit Dimension: 55.7x32x17.7mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Ink Color: Yellow, Red, Blue or Customized
Misc Info: Printing Nonavailable
Packing Details: 1000pcs/ctn; 12.5kgs/ctn; 0.028cbm/ctn

BD3305 X60 Ink Tag

Frequency: 8.2MHz(*)
Unit Dimension: 60.3mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Ink Color: Yellow, Red, Blue or Customized
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 500pcs/ctn; 12kgs/ctn; 0.043cbm/ctn

BD3306 Ink Tag With Own Pin

Frequency: 8.2MHz(*)
Unit Dimension: 56mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Ink Color: Yellow, Red, Blue or Customized
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 500pcs/ctn; 11kgs/ctn; 0.043cbm/ctn

BD3307 Flat Dome

Frequency: 8.2MHz(*)
Unit Dimension: 54Dia'x22mm
Plastic Color: Clear or Customized
Lock: Magnetic Locking
Ink Color: Yellow, Red, Blue or Customized
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 500pcs/ctn; 11kgs/ctn; 0.033cbm/ctn

BD3308 Dome Ink Tag

Frequency: 8.2MHz(*) / 58KHz / 58KHz & 8.2MHz
Unit Dimension: 53Dia'x23mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Ink Color: Yellow, Red, Blue or Customized
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 500pcs/ctn; 11kgs/ctn; 0.036cbm/ctn

BD3309 Dome Ink Tag

Frequency: 8.2MHz(*)
Unit Dimension: 54Dia'x23mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Ink Color: Yellow, Red, Blue or Customized
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 500pcs/ctn; 11kgs/ctn; 0.036cbm/ctn

BD3310 X50 Ink Tag

Frequency: 8.2MHz(*)
Unit Dimension: 50Dia'x23mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Ink Color: Yellow, Red, Blue or Customized
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 500pcs/ctn; 10kgs/ctn; 0.033cbm/ctn

BD3311 Shell Tag

Frequency: 8.2MHz(*) / 58KHz / 58KHz & 8.2MHz
Unit Dimension: 50Dia'x22.5mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Ink Color: Yellow, Red, Blue or Customized
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 500pcs/ctn; 10kgs/ctn; 0.036cbm/ctn

BD3314 Ink Pin

Frequency: N/A
Unit Dimension: 41.7x10.6x26mm
Plastic Color: Gray, White or Customized
Lock: N/A
Ink Color: Yellow, Red, Blue or Customized
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 1000pcs/ctn; 7kgs/ctn; 0.028cbm/ctn

BD3315 Ink Pin

Frequency: N/A
Unit Dimension: 37.5Dia'x10mm
Plastic Color: Gray, White or Customized
Lock: N/A
Ink Color: Yellow, Red, Blue or Customized
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 1000pcs/ctn; 7.5kgs/ctn; 0.028cbm/ctn

BD3316 Ink Pin-AX

Frequency: N/A
Unit Dimension: 45x26x12.8mm
Plastic Color: Clear or Customized
Lock: N/A
Ink Color: Yellow, Red, Blue or Customized
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 1000pcs/ctn; 9.5kgs/ctn; 0.028cbm/ctn

BD3317 Ink Pin-BX

Frequency: N/A
Unit Dimension: 45x30x11mm
Plastic Color: Clear or Customized
Lock: N/A
Ink Color: Yellow, Red, Blue or Customized
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 1000pcs/ctn; 9kgs/ctn; 0.028cbm/ctn

BD3319 Ink Pin

Frequency: N/A
Unit Dimension: 41.7x28x10.7mm
Plastic Color: Gray, White or Customized
Lock: N/A
Ink Color: Yellow, Red, Blue or Customized
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 1000pcs/ctn; 6kgs/ctn; 0.028cbm/ctn

HD2202 All-in-One Textile Tag

Frequency: 8.2MHz / 58KHz
Unit Dimension: 61x20x30mm
Plastic Color: Black+White or customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 16.0kgs/ctn; 0.036cbm/ctn

HD2216 All-in-One Transparent

Frequency: 8.2MHz / 58KHz
Unit Dimension: 61x20x30mm
Plastic Color: Black+Transparent
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 16.0kgs/ctn; 0.036cbm/ctn

HD2217 All-in-One Blister Tag

Frequency: 8.2MHz / 58KHz
Unit Dimension: 55x42x32mm
Plastic Color: Black+White or customized
Lock: Magnetic Locking
Packing Details: 500pcs/ctn; 9.0kgs/ctn; 0.036cbm/ctn

HD2219 All-in-One Coil Tag

Frequency: 8.2MHz / 58KHz
Unit Dimension: 65x49x30mm
Plastic Color: Black+White or customized
Lock: Magnetic Locking
Packing Details: 500pcs/ctn; 10.0kgs/ctn; 0.028cbm/ctn

HD2213 All-in-One Pad Lock

Frequency: 8.2MHz / 58KHz
Unit Dimension: 81x35x32mm
Plastic Color: Black+White or customized
Lock: Magnetic Locking
Packing Details: 500pcs/ctn; 13.0kgs/ctn; 0.028cbm/ctn

HD2218 All-in-One Pad Lock

Frequency: 8.2MHz / 58KHz
Unit Dimension: 61x58x35mm
Plastic Color: Black+White or customized
Lock: Magnetic Locking
Packing Details: 500pcs/ctn; 14.0kgs/ctn; 0.039cbm/ctn

BD3329 All-in-One Ink Tag

Frequency: 8.2MHz / 58KHz
Unit Dimension: 61x20x30mm
Plastic Color: Black+Transparent or Customized
Lock: Magnetic Locking
Ink Color: Red or Customized
Packing Details: 1000pcs/ctn; 16.0kgs/ctn; 0.036cbm/ctn

BT3052 All-in-One Wine Tag

Frequency: 58KHz
Unit Dimension: 61x20x51mm
Plastic Color: Green or Customized
Lock: Magnetic Locking
Measurement In Protection: 28mmDia' bottle neck
Packing Details: 500pcs/ctn; 10.0kgs/ctn; 0.033cbm/ctn

BT3053 All-in-One Champagne

Frequency: 58KHz
Unit Dimension: 64x20x54mm
Plastic Color: Yellow or Customized
Lock: Magnetic Locking
Measurement In Protection: 31mmDia' bottle neck
Packing Details: 500pcs/ctn; 10.7kgs/ctn; 0.039cbm/ctn

OP3817 Toolless Optical Tag

Frequency: 8.2MHz / 58KHz
Unit Dimension: 42x40x31mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 250pcs/ctn; 11.0kgs/ctn; 0.039cbm/ctn

OP3802 Optical Tag

Frequency: 8.2MHz / 58KHz
Unit Dimension: 28.7x18x27mm
Plastic Color: Gray, White or Customized
Lock: Mechanical Locking
Packing Details: 1000pcs/ctn; 10kgs/ctn; 0.018cbm/ctn

OP3803 RG Tag

Frequency: 8.2MHz(*) / EM
Unit Dimension: 39x20.3x49.5mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn; 10.0kgs/ctn; 0.033cbm/ctn

OP3805 Optical Tag

Frequency: 8.2MHz / 58KHz
Unit Dimension: 70.5x15.2x23.3mm/61x16x24mm
Plastic Color: Black or Customized
Lock: Mechanical Locking
Packing Details: 1000pcs/ctn; 11kgs/ctn; 0.028cbm/ctn

OP3813 Two Feet Tag

Frequency: 8.2MHz / 58KHz
Unit Dimension: 52.5x31.2x24.5mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Pin Length: 18mm Customized
Pin Shaft: Smooth Pin
Packing Details: 1000pcs/ctn; 15kgs/ctn; 0.033cbm/ctn

APEROL
Tanqueray
Aptamil

BT3001 Mini Square BT

Frequency: 8.2MHz(*)
Unit Dimension: 48x42mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Type: Metal cable
Lanyard Length: 480mm
Lanyard Color: N/A
Misc Info: With Ball
Packing Details: 250pcs/ctn; 6kgs/ctn; 0.028cbm/ctn

BT3002 Mini Square BT

Frequency: 8.2MHz(*)
Unit Dimension: 48x42mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Type: Metal cable
Lanyard Length: 160mm
Lanyard Color: N/A
Misc Info: With Ball
Packing Details: 500pcs/ctn; 12kgs/ctn; 0.036cbm/ctn

BT3003 Bottle Tag With Plastic Cable With Ball

Frequency: 8.2MHz(*) / EM
Unit Dimension: 56mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Type: Plastic cable
Lanyard Length: 150mm
Lanyard Color: White
Misc Info: With Ball
Packing Details: 250pcs/ctn; 6.5kgs/ctn; 0.028cbm/ctn

BT3004 Bottle Tag With Plastic Cable Without Ball

Frequency: 8.2MHz(*) / EM
Unit Dimension: 56mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Type: Plastic cable
Lanyard Length: 150mm
Lanyard Color: White
Misc Info: Without Ball
Packing Details: 250pcs/ctn; 6.5kgs/ctn; 0.028cbm/ctn

BT3005 Bottle Tag With Metal Cable 480mm

Frequency: 8.2MHz(*) / EM
Unit Dimension: 56mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Type: Metal cable
Lanyard Length: 480mm
Lanyard Color: N/A
Misc Info: With Ball
Packing Details: 250pcs/ctn; 9kgs/ctn; 0.036cbm/ctn

BT3006 Bottle Tag With Metal Cable 160mm

Frequency: 8.2MHz(*) / EM
Unit Dimension: 56mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Type: Metal cable
Lanyard Length: 160mm
Lanyard Color: N/A
Misc Info: With Ball
Packing Details: 250pcs/ctn; 7kgs/ctn; 0.028cbm/ctn

BT3007 Bottle Tag With Plastic Cable With Ball

Frequency: 8.2MHz / 58KHz
Unit Dimension: 36x30mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Type: Plastic cable
Lanyard Length: 150mm
Lanyard Color: White
Misc Info: With Ball
Packing Details: 500pcs/ctn; 10kgs/ctn; 0.033cbm/ctn

BT3008 Bottle Tag With Plastic Cable Without Ball

Frequency: 8.2MHz / 58KHz
Unit Dimension: 36x30mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Type: Plastic cable
Lanyard Length: 150mm
Lanyard Color: White
Misc Info: Without Ball
Packing Details: 500pcs/ctn; 10kgs/ctn; 0.033cbm/ctn

BT3009 Bottle Tag With Metal Cable 480mm

Frequency: 8.2MHz / 58KHz
Unit Dimension: 36x30mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Type: Metal cable
Lanyard Length: 480mm
Lanyard Color: N/A
Misc Info: With Ball
Packing Details: 250pcs/ctn; 9kgs/ctn; 0.033cbm/ctn

BT3010 Bottle Tag With Metal Cable 160mm

Frequency: 8.2MHz / 58KHz
Unit Dimension: 36x30mm
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Type: Metal cable
Lanyard Length: 160mm
Lanyard Color: N/A
Misc Info: With Ball
Packing Details: 500pcs/ctn; 12kgs/ctn; 0.028cbm/ctn

BT3011 X50 Bottle Tag

Frequency: 8.2MHz(*) / 58KHz
Unit Dimension: 50mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Type: Metal cable
Lanyard Length: 160mm
Lanyard Color: N/A
Misc Info: With Ball
Packing Details: 250pcs/ctn; 7.5kgs/ctn; 0.028cbm/ctn

BT3013 Bottle Tag With Plastic Cable Without Ball

Frequency: 8.2MHz(*) / 58KHz
Unit Dimension: 50mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Type: Plastic cable
Lanyard Length: 150mm
Lanyard Color: White
Misc Info: Without Ball
Packing Details: 250pcs/ctn; 6.5kgs/ctn; 0.028cbm/ctn

BT3014 Bottle Tag With Plastic Cable With Ball

Frequency: 8.2MHz(*) / 58KHz
Unit Dimension: 50mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Type: Plastic cable
Lanyard Length: 150mm
Lanyard Color: White
Misc Info: With Ball
Packing Details: 250pcs/ctn; 7kgs/ctn; 0.028cbm/ctn

BT3016 Bottle Tag With Plastic Cable Without Ball

Frequency: 8.2MHz(*) / 58KHz / EM/8.2MHz & 58KHz
Unit Dimension: 50mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Type: Plastic cable
Lanyard Length: 150mm
Lanyard Color: White
Misc Info: Without Ball
Packing Details: 250pcs/ctn; 7kgs/ctn; 0.028cbm/ctn

BT3017 Bottle Tag With Plastic Cable With Ball

Frequency: 8.2MHz(*) / 58KHz / EM/8.2MHz & 58KHz
Unit Dimension: 50mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Type: Plastic cable
Lanyard Length: 150mm
Lanyard Color: White
Misc Info: With Ball
Packing Details: 250pcs/ctn; 6kgs/ctn; 0.028cbm/ctn

BT3018 Bottle Tag With Metal Cable 160mm

Frequency: 8.2MHz(*) / 58KHz / EM/8.2MHz & 58KHz
Unit Dimension: 50mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Type: Metal cable
Lanyard Length: 160mm
Lanyard Color: N/A
Misc Info: With Ball
Packing Details: 250pcs/ctn; 7kgs/ctn; 0.028cbm/ctn

BT3019 Bottle Tag With Metal Cable 480mm

Frequency: 8.2MHz(*)
Unit Dimension: 56mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Type: Metal cable
Lanyard Length: 480mm
Lanyard Color: N/A
Misc Info: With Ball
Packing Details: 250pcs/ctn; 8kgs/ctn; 0.036cbm/ctn

BT3020 Bottle Tag With Metal Cable 160mm

Frequency: 8.2MHz(*)
Unit Dimension: 56mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Type: Metal cable
Lanyard Length: 160mm
Lanyard Color: N/A
Misc Info: With Ball
Packing Details: 250pcs/ctn; 7kgs/ctn; 0.028cbm/ctn

BT3021 Bottle Tag With Metal Cable 480mm

Frequency: 8.2MHz(*) / 58KHz
Unit Dimension: 56mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Type: Metal cable
Lanyard Length: 480mm
Lanyard Color: N/A
Misc Info: With Ball
Packing Details: 250pcs/ctn; 8kgs/ctn; 0.033cbm/ctn

BT3022 Bottle Tag With Metal Cable 160mm

Frequency: 8.2MHz(*) / 58KHz
Unit Dimension: 56mmDia'
Plastic Color: Gray, White or Customized
Lock: Magnetic Locking
Lanyard Type: Metal cable
Lanyard Length: 160mm
Lanyard Color: N/A
Misc Info: With Ball
Packing Details: 250pcs/ctn; 6.5kgs/ctn; 0.028cbm/ctn

BT3042 Bottle Cap

Frequency: 8.2MHz / 58KHz / 8.2MHz&58KHz
Unit Dimension: 68x65x48mm
Plastic Color: Black or Customized
Lock: Magnetic Locking
Measurement In Protection: 28-32mmDia' bottle neck
Packing Details: 100pcs/ctn; 7kgs/ctn; 0.033cbm/ctn

BT3055 Champagne Bottle Cap

Frequency: 8.2MHz / 58KHz / 8.2MHz&58KHz
Unit Dimension: 78x71x48mm
Plastic Color: Black or Customized
Lock: Magnetic Locking
Measurement In Protection: 30-36mmDia' bottle neck
Packing Details: 100pcs/ctn; 9.0kgs/ctn; 0.033cbm/ctn

SHISEIDO
BIOTHERM HOMME
TRAVEL

3
KUANGHELOU

RL4601 Roll Labels

Frequency: 8.2MHz
Unit Dimension: 40x40mm
Color: Black, White or Barcode
Packing Details: 20000pcs/ctn; 11kgs/ctn; 0.023cbm/ctn

RL4602 Roll Labels

Frequency: 8.2MHz
Unit Dimension: 51.5x48mm
Color: Black, White or Barcode
Packing Details: 20000pcs/ctn; 16kgs/ctn; 0.033cbm/ctn

RL4604 Roll Labels

Frequency: 8.2MHz
Unit Dimension: 30x30mm
Color: Black, White or Barcode
Packing Details: 20000pcs/ctn; 7kgs/ctn; 0.022cbm/ctn

RL4609 Roll Labels

Frequency: 8.2MHz
Unit Dimension: 30x40mm
Color: Black, White or Barcode
Packing Details: 20000pcs/ctn; 9kgs/ctn; 0.022cbm/ctn



RL4614 Roll Labels

Frequency: 8.2MHz
Unit Dimension: 40Dia'mm
Color: Black, White or Barcode
Packing Details: 20000pcs/ctn; 10.5kgs/ctn; 0.023cbm/ctn

RL4620 Freezer RF Labels

Frequency: 8.2MHz
Unit Dimension: 40x40mm
Color: Black, White or Barcode
Packing Details: 20000pcs/ctn; 12kgs/ctn; 0.028cbm/ctn

RL4635 Sew In Labels

Frequency: 8.2MHz
Unit Dimension: 46x60mm
Color: Customizable
Packing Details: 15000pcs/ctn; 19kgs/ctn; 0.028cbm/ctn

RL4641 Round RF Label

Frequency: 8.2MHz
Unit Dimension: 33Dia'mm
Color: Black, White or Barcode
Packing Details: 20000pcs/ctn; 7kgs/ctn; 0.020cbm/ctn

RL4643 Jewellery RF Label

Frequency: 8.2MHz
Unit Dimension: 40mmDia'
Color: Black, White or Barcode
Packing Details: 5000pcs/ctn; 9.5kgs/ctn; 0.028cbm/ctn

RL4646 Thermal Sensitive

Frequency: 8.2MHz
Unit Dimension: 40x40mm
Color: Black, White or Barcode
Packing Details: 20000pcs/ctn; 11kgs/ctn; 0.023cbm/ctn

RL4649 Cosmetics RF Label

Frequency: 8.2MHz
Unit Dimension: 20x65mm
Color: Black, White or Barcode
Packing Details: 40000pcs/ctn; 15kgs/ctn; 0.024cbm/ctn

RL4655 Jewelry RF Label

Frequency: 8.2MHz
Unit Dimension: 31x105mm
Color: Black, White or Barcode
Packing Details: 10000pcs/ctn; 10kgs/ctn; 0.024cbm/ctn

RL4656 Eyewear RF Label

Frequency: 8.2MHz
Unit Dimension: 40x150mm
Color: Black, White or Barcode
Packing Details: 10000pcs/ctn; 12kgs/ctn; 0.027cbm/ctn

RL4657 Printed RF Label

Frequency: 8.2MHz
Unit Dimension: 24x45mm
Color: Customized Print
Packing Details: 20000pcs/ctn; 10kgs/ctn; 0.027cbm/ctn

RL4658 Ellipse RF Label

Frequency: 8.2MHz
Unit Dimension: 23x62mm
Color: Black, White or Barcode
Packing Details: 20000pcs/ctn; 11kgs/ctn; 0.027cbm/ctn

RL4659 Clear RF Label

Frequency: 8.2MHz
Unit Dimension: 50mmDia'
Color: Clear
Packing Details: 20000pcs/ctn; 17kgs/ctn; 0.033cbm/ctn

RL4605 Punch Tag

Frequency: 8.2MHz(*) / 58KHz
Unit Dimension: 69x64mm / 48x54mm
Color: Black, White or Barcode
Misc Info: Customized Logo Available
Packing Details: 1000pcs/ctn; 4kgs/ctn; 0.018cbm/ctn

RL4606 Punch Tag

Frequency: 8.2MHz(*) / 58KHz / 66KHz
Unit Dimension: 64.8x27.5x6.6mm
Color: Black, White or Barcode
Misc Info: Customized Logo Available
Packing Details: 2000pcs/ctn; 9.5kgs/ctn; 0.020cbm/ctn

RL4607 Punch Tag

Frequency: 8.2MHz
Unit Dimension: 42Dia'x63mm
Color: Clear, Barcoded or Customized
Misc Info: Customized Logo Available
Packing Details: 2000pcs/ctn; 4.5kgs/ctn; 0.018cbm/ctn

RL4608 Punch Tag

Frequency: 8.2MHz
Unit Dimension: 40Dia'x55mm
Color: Clear, Barcoded or Customized
Misc Info: Customized Logo Available
Packing Details: 2000pcs/ctn; 4.5kgs/ctn; 0.018cbm/ctn

SF5008 Battery Safer Single

Frequency: 8.2MHz / 58KHz / 58KHz & 8.2MHz
Unit Dimension: 160x114x42mm
Plastic Color: Clear
Lock: Magnetic Locking
Hook: N/A
Measurement in Protection: 109x80x17mm
Application Recommendation: Single Layer Battery
Packing Details: 180pcs/ctn; 18kgs/ctn; 0.080cbm/ctn

SF5009 Battery Safer Double

Frequency: 8.2MHz / 58KHz / 58KHz & 8.2MHz
Unit Dimension: 162x114x55mm
Plastic Color: Clear
Lock: Magnetic Locking
Hook: With HOOK
Measurement in Protection: 110x78x32mm
Application Recommendation: Double Layer Battery
Packing Details: 120pcs/ctn; 13kgs/ctn; 0.080cbm/ctn

SF5010 Safer

Frequency: 8.2MHz / 58KHz / 58KHz & 8.2MHz
Unit Dimension: 175x128x55mm
Plastic Color: Clear
Lock: Magnetic Locking
Hook: With HOOK
Measurement in Protection: 155x120x50mm
Application Recommendation: Health & Beauty Protection
Packing Details: 50pcs/ctn; 14kgs/ctn; 0.080cbm/ctn

SF5011 Safer

Frequency: 8.2MHz / 58KHz
Unit Dimension: 143x112x30mm
Plastic Color: Clear
Lock: Magnetic Locking
Hook: With HOOK
Measurement in Protection: 114.5x105x22mm
Application Recommendation: Razor Blades
Packing Details: 150pcs/ctn; 25kgs/ctn; 0.08cbm/ctn

SF5012 Safer

Frequency: 8.2MHz / 58KHz / 58KHz & 8.2MHz
Unit Dimension: 153x63x59mm
Plastic Color: Clear
Lock: Magnetic Locking
Hook: With HOOK
Measurement in Protection: 122x55x55mm
Application Recommendation: Health & Beauty Protection
Packing Details: 120pcs/ctn; 16kgs/ctn; 0.080cbm/ctn

SF5014 Safer

Frequency: 8.2MHz / 58KHz / 58KHz & 8.2MHz
Unit Dimension: 191x107x80mm
Plastic Color: Clear
Lock: Magnetic Locking
Hook: With HOOK
Measurement in Protection: 165x100x75mm
Application Recommendation: Day&Night Face Creams and Anti-wrinkle Creams, Perfume
Packing Details: 40pcs/ctn; 10kgs/ctn; 0.080cbm/ctn

SF5017 Safer

Frequency: 8.2MHz / 58KHz / 58KHz & 8.2MHz
Unit Dimension: 133x87x55mm
Plastic Color: Clear
Lock: Magnetic Locking
Hook: N/A
Measurement in Protection: 104x83x49mm
Application Recommendation: Health & Beauty Protection
Packing Details: 110pcs/ctn; 17kgs/ctn; 0.08cbm/ctn

SF5019 DVD Safer

Frequency: 8.2MHz / 58KHz / 58KHz & 8.2MHz
Unit Dimension: 223x153x23mm
Plastic Color: Clear
Lock: Magnetic Locking
Hook: With HOOK
Measurement in Protection: 194x144x17mm
Application Recommendation: Single DVD
Packing Details: 100pcs/ctn; 22.5kgs/ctn; 0.080cbm/ctn

SF5020 DVD Safer

Frequency: 8.2MHz / 58KHz
Unit Dimension: 223x153x23mm
Plastic Color: Clear
Lock: Magnetic Locking
Hook: With HOOK
Measurement in Protection: 194x144x17mm
Application Recommendation: Single DVD
Packing Details: 100pcs/ctn; 11kgs/ctn; 0.080cbm/ctn

SF5021 Safer

Frequency: 8.2MHz / 58KHz / 58KHz & 8.2MHz
Unit Dimension: 235x113x60mm
Plastic Color: Clear
Lock: Magnetic Locking
Hook: With HOOK
Measurement in Protection: 205x100x55mm
Application Recommendation: Health & Beauty Protection
Packing Details: 40pcs/ctn; 11kgs/ctn; 0.08cbm/ctn

SF5022 DVD Safer

Frequency: 8.2MHz / 58KHz / 58KHz & 8.2MHz
Unit Dimension: 248x155x39mm
Plastic Color: Clear
Lock: Magnetic Locking
Hook: With HOOK
Measurement in Protection: 221x137.5x33mm
Application Recommendation: Double DVD
Packing Details: 45pcs/ctn; 14.5kgs/ctn; 0.080cbm/ctn

SF5023 Cigarette Safer

Frequency: 8.2MHz / 58KHz
Unit Dimension: 336x115x74mm
Plastic Color: Clear
Lock: Magnetic Locking
Hook: N/A
Measurement in Protection: 292x109x55mm
Application Recommendation: Cigarette Safer
Packing Details: 28pcs/ctn; 7kgs/ctn; 0.080cbm/ctn

SF5037 Xylitol Gum Safer

Frequency: 8.2MHz / 58KHz
Unit Dimension: 88x78x57mm
Plastic Color: Transparent
Lock: Magnetic Locking
Application Recommendation: Xylitol Gum
Packing Details: 100pcs/ctn; 7kgs/ctn; 0.039cbm/ctn

SF5045 Mega Safer

Frequency: 8.2MHz / 58KHz / 8.2MHz&58KHz
Unit Dimension: 167x126x265mm
Plastic Color: Transparent
Lock: Magnetic Locking
Hook: With HOOK
Measurement in Protection: 150x100x250mm
Application Recommendation: Vacuum Cup, etc
Packing Details: 12pcs/ctn; 6.5kgs/ctn; 0.080cbm/ctn

SF5046 Mega Safer

Frequency: 8.2MHz / 58KHz / 8.2MHz&58KHz
Unit Dimension: 137x146x314mm
Plastic Color: Transparent
Lock: Magnetic Locking
Hook: With HOOK
Measurement in Protection: 120x120x300mm
Application Recommendation: Vacuum Cup, etc
Packing Details: 9pcs/ctn; 6.0kgs/ctn; 0.080cbm/ctn

SF5047 Assembled Safer

Frequency: 8.2MHz / 58KHz / 8.2MHz&58KHz
Unit Dimension: 74x62x259mm
Plastic Color: Transparent
Lock: Magnetic Locking
Hook: With HOOK
Measurement in Protection: 66x56x241mm
Application Recommendation: Toothpaste,etc
Packing Details: 50pcs/ctn; 11.5kgs/ctn; 0.080cbm/ctn

SF5050 Assembled Safer

Frequency: 8.2MHz / 58KHz / 8.2MHz&58KHz
Unit Dimension: 74x62x195mm
Plastic Color: Transparent
Lock: Magnetic Locking
Hook: With HOOK
Measurement in Protection: 66x56x174mm
Application Recommendation: Toothpaste,etc
Packing Details: 80pcs/ctn; 13.0kgs/ctn; 0.080cbm/ctn

SF5036 One-off Milk Powder Safer

Frequency: 58KHz
Unit Dimension: 105Dia'x16mm
Plastic Color: Gray or Customized
Lock: Mechanical Locking
Hook: N/A
Measurement in Protection: 100-102mmDia'
Application Recommendation: Milk Powder Can
Packing Details: 420pcs/ctn; 14kgs/ctn; 0.080cbm/ctn

SF5035 One-off Milk Powder Safer

Frequency: 58KHz
Unit Dimension: 132Dia'x16mm
Plastic Color: Gray or Customized
Lock: Mechanical Locking
Hook: N/A
Measurement in Protection: 127-129mmDia'
Application Recommendation: Milk Powder Can
Packing Details: 300pcs/ctn; 13kgs/ctn; 0.080cbm/ctn

SF5039 One-off Milk Powder Safer

Frequency: 58KHz
Unit Dimension: 105Dia'x16mm
Plastic Color: White or Customized
Lock: Mechanical Locking
Hook: N/A
Measurement in Protection: 100-102mmDia'
Application Recommendation: Milk Powder Can
Packing Details: 650pcs/ctn; 10kgs/ctn; 0.080cbm/ctn

SF5038 One-off Milk Powder Safer

Frequency: 58KHz
Unit Dimension: 132Dia'x16mm
Plastic Color: White or Customized
Lock: Mechanical Locking
Hook: N/A
Measurement in Protection: 127-129mmDia'
Application Recommendation: Milk Powder Can
Packing Details: 450pcs/ctn; 10kgs/ctn; 0.080cbm/ctn

SF5040 Milk Powder Safer

Frequency: 8.2MHz / 58KHz / 8.2MHz & 58KHz
Unit Dimension: 158Dia'x30mm
Plastic Color: Black or Customized
Lock: Magnetic Locking
Hook: N/A
Measurement in Protection: 127-129mmDia'
Packing Details: 140pcs/ctn; 15kgs/ctn; 0.080cbm/ctn

SF5032 EAS Bag

Frequency: 8.2MHz / 58KHz / 58KHz & 8.2MHz
Unit Dimension: 600x600x100mm or Customized
Plastic Color: Blue
Packing Details: 40pcs/ctn; 19kgs/ctn; 0.080cbm/ctn

DT4002 Detacher

Frequency: 8.2MHz / 58KHz
Unit Dimension: 15x95mm
Plastic Color: N/A
Magnetic Force: N/A
Packing Details: Customized

DT4004 Detacher

Unit Dimension: 21.7Dia'x58mm
Plastic Color: N/A
Magnetic Force: ≧5900Gs
Packing Details: 200pcs/ctn; 14kgs/ctn; 0.020cbm/ctn

DT4061 Detacher

Unit Dimension: 22.8Dia'x57.4mm
Plastic Color: N/A
Magnetic Force: ≧5900Gs
Packing Details: 200pcs/ctn; 15kgs/ctn; 0.022cbm/ctn

DT4005 Small

Unit Dimension: 68Dia'x25mm
Plastic Color: N/A
Magnetic Force: ≧4500/5500Gs
Packing Details: 100pcs/ctn; 20kgs/ctn; 0.028cbm/ctn

DT4008 Magnetic Detacher

Unit Dimension: 75Dia'x35mm
Plastic Color: N/A
Magnetic Force: ≧10000Gs
Packing Details: 50pcs/ctn; 24kgs/ctn; 0.024cbm/ctn

DT4009 Dome

Unit Dimension: 75Dia'x45mm
Plastic Color: N/A
Magnetic Force: ≧10000Gs
Packing Details: 50pcs/ctn; 25kgs/ctn; 0.024cbm/ctn

DT4010 Super Counter

Unit Dimension: 75Dia'x45mm
Plastic Color: N/A
Magnetic Force: ≧10000Gs
Packing Details: 50pcs/ctn; 23kgs/ctn; 0.024cbm/ctn

DT4011 Super Small

Unit Dimension: 70Dia'x52mm
Plastic Color: N/A
Magnetic Force: ≧10000Gs
Packing Details: 50pcs/ctn; 20kgs/ctn; 0.024cbm/ctn

DT4012 Dome Plus

Unit Dimension: 75Dia'x45mm
Plastic Color: N/A
Magnetic Force: ≧10000Gs
Packing Details: 50pcs/ctn; 24kgs/ctn; 0.024cbm/ctn

DT4013 Dome Detacher

Unit Dimension: 70Dia'x45mm
Plastic Color: N/A
Magnetic Force: ≧9500Gs
Packing Details: 50pcs/ctn; 23kgs/ctn; 0.024cbm/ctn

DT4015 Detacher Combi

Unit Dimension: 73Dia'x34mm
Plastic Color: N/A
Magnetic Force: ≧10000Gs
Packing Details: 50pcs/ctn; 22kgs/ctn; 0.024cbm/ctn

DT4017 Detacher

Unit Dimension: 73.7Dia'x33.5mm
Plastic Color: N/A
Magnetic Force: ≧10000Gs
Packing Details: 50pcs/ctn; 19kgs/ctn; 0.024cbm/ctn

DT4018 Detacher

Unit Dimension: 69Dia'x40.5mm
Plastic Color: N/A
Magnetic Force: ≧10000Gs
Packing Details: 50pcs/ctn; 25kgs/ctn; 0.028cbm/ctn

DT4020 Plastic Coated Detacher

Unit Dimension: 70Dia'x50mm
Plastic Color: Black
Lanyard Length: 1000mm
Magnetic Force: ≧10000Gs
Packing Details: 13pcs/ctn; 10kgs/ctn; 0.036cbm/ctn

DT4021 Plastic Coated Detacher with Lid

Unit Dimension: 82Dia'x75mm
Plastic Color: Black
Magnetic Force: ≧10000Gs
Packing Details: 50pcs/ctn; 21kgs/ctn; 0.036cbm/ctn

DT4022 Ultra Detacher

Unit Dimension: 70Dia'x55mm
Plastic Color: Black
Magnetic Force: ≧10000Gs
Packing Details: 50pcs/ctn; 20kgs/ctn; 0.036cbm/ctn

DT4062 Detacher

Unit Dimension: 82Dia'x67.3mm
Plastic Color: N/A
Magnetic Force: ≧14500Gs
Packing Details: 15pcs/ctn; 20kgs/ctn; 0.024cbm/ctn

DT4065 Plastic Coated Detacher with Lid

Unit Dimension: 80Dia'x88mm
Plastic Color: Red
Magnetic Force: ≧10000 / 14000Gs
Packing Details: Customized

DT4066 Detacher with Lid

Unit Dimension: 75Dia'x50mm
Plastic Color: N/A
Magnetic Force: ≧10000
Packing Details: 50pcs/ctn; 23kgs/ctn; 0.028cbm/ctn

DT4071 Ultra with Lid

Unit Dimension: 75Dia'x90mm
Plastic Color: N/A
Magnetic Force: ≧15000
Packing Details: 24pcs/ctn; 38kgs/ctn; 0.015cbm/ctn

DT4077

Unit Dimension: 81Dia'x70mm
Plastic Color: N/A
Magnetic Force: ≧15000
Packing Details: 15pcs/ctn; 22kgs/ctn; 0.028cbm/ctn

DL4401 Detacher Locker With Stick

Unit Dimension: 52Dia'x33.3mm
Plastic Color: N/A
Packing Details: Customized

DL4402 Detacher Locker A

Unit Dimension: 21Dia'x34mm
Plastic Color: N/A
Packing Details: Customized

DL4403 Detacher Locker B

Unit Dimension: 45Dia'x38mm
Plastic Color: N/A
Packing Details: Customized

PN6001 Flat Steel Pin

Unit Dimension: 12mmDia'
Plastic Color: N/A
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 10000pcs/ctn; 15kgs/ctn; 0.015cbm/ctn

PN6002 Swivel Steel Pin

Unit Dimension: 12mmDia'
Plastic Color: N/A
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 10000pcs/ctn; 21kgs/ctn; 0.015cbm/ctn

PN6003 General Steel Pin

Unit Dimension: 20mmDia'
Plastic Color: N/A
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 5000pcs/ctn; 18kgs/ctn; 0.028cbm/ctn

PN6004 Dome Steel Pin

Unit Dimension: 15mmDia'
Plastic Color: N/A
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 10000pcs/ctn; 21kgs/ctn; 0.028cbm/ctn

PN6005 Cone Steel Pin

Unit Dimension: 14mmDia'
Plastic Color: N/A
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 10000pcs/ctn; 21kgs/ctn; 0.028cbm/ctn

PN6006 Pin For Yurta Tag

Unit Dimension: 30mmDia'
Plastic Color: Gray, White or Customized
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 5000pcs/ctn; 8kgs/ctn; 0.039cbm/ctn

PN6007 Light Plastic Pin

Unit Dimension: 19.5mmDia'
Plastic Color: Gray, White or Customized
Pin Length: 15mm or Customized
Pin Shaft: SuperTag Pin
Packing Details: 10000pcs/ctn; 8kgs/ctn; 0.028cbm/ctn

PN6009 Cone Plastic Pin

Unit Dimension: 16mmDia'
Plastic Color: Gray, White or Customized
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 10000pcs/ctn; 8kgs/ctn; 0.028cbm/ctn

PN6010 Dome Plastic Pin

Unit Dimension: 20mmDia'
Plastic Color: Gray, White or Customized
Pin Length: 15mm or Customized
Pin Shaft: SuperTag Pin
Packing Details: 10000pcs/ctn; 10kgs/ctn; 0.033cbm/ctn

PN6011 Dome Plastic Pin

Unit Dimension: 20mmDia'
Plastic Color: Gray, White or Customized
Pin Length: 15mm or Customized
Pin Shaft: SuperTag Pin
Packing Details: 10000pcs/ctn; 10kgs/ctn; 0.033cbm/ctn

PN6012 Dome Plastic Pin

Unit Dimension: 20mmDia'
Plastic Color: Gray, White or Customized
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 10000pcs/ctn; 8kgs/ctn; 0.028cbm/ctn

PN6013 Plastic Pin

Unit Dimension: 20mmDia'
Plastic Color: Gray, White or Customized
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 10000pcs/ctn; 13kgs/ctn; 0.033cbm/ctn

PN6014 Plastic Pin

Unit Dimension: 18mmDia'
Plastic Color: Gray, White or Customized
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 10000pcs/ctn; 12kgs/ctn; 0.033cbm/ctn

PN6015 Plastic Pin

Unit Dimension: 32mmDia'
Plastic Color: Gray, White or Customized
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 25000pcs/ctn; 6kgs/ctn; 0.028cbm/ctn

PN6016 Plastic Pin

Unit Dimension: 42mmDia'
Plastic Color: Gray, White or Customized
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 2000pcs/ctn; 8kgs/ctn; 0.043cbm/ctn

PN6017 Burger Pin

Unit Dimension: 10mmDia'
Plastic Color: Gray, White or Customized
Pin Length: 17mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 10000pcs/ctn; 20kgs/ctn; 0.024cbm/ctn

PN6018 Long Pin

Unit Dimension: 11.8mmDia'
Plastic Color: Gray, White or Customized
Pin Length: 19mm or Customized(<38mm)
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 10000pcs/ctn; 17kgs/ctn; 0.039cbm/ctn

PN6021 Elec Pin

frequency: 8.2MHz / 58KHz
Unit Dimension: 38.5x19x11.5mm
Plastic Color: Black or Customized
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 1000pcs/ctn; 8kgs/ctn; 0.024cbm/ctn

PN6023 Pin

Unit Dimension: 13mmDia'
Plastic Color: Black or Customized
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 25000pcs/ctn; 14kgs/ctn; 0.028cbm/ctn

PN6024 Pin

Unit Dimension: 26mmDia'
Plastic Color: Black or Customized
Pin Length: 13mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 4000pcs/ctn; 11.5kgs/ctn; 0.028cbm/ctn

PN6025 Clear Pin

Unit Dimension: 15mmDia'
Plastic Color: Clear or Customized
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 10000pcs/ctn; 8.5kgs/ctn; 0.028cbm/ctn

PN6026 Clear Plastic Pin

Unit Dimension: 30mmDia'
Plastic Color: Clear or Customized
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 4000pcs/ctn; 9kgs/ctn; 0.039cbm/ctn

PN6029 Logo Pin

Unit Dimension: 33mmDia'
Plastic Color: Gray, White or Customized
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 2000pcs/ctn; 6kgs/ctn; 0.024cbm/ctn

PN6037 Steel Pin

Unit Dimension: 15x5mm
Plastic Color: N/A
Pin Length: 16 / 19mm or Customized
Pin Shaft: Smooth Pin / Serrated Pin
Packing Details: 10000pcs/ctn; 15kgs/ctn; 0.018cbm/ctn

LD3601 Lanyard

Unit Dimension: 1.2mm Dia
Plastic Color: N/A
Lanyard Type: Metal Cable
Lanyard Length: 175mm or Customized
Lanyard Color: N/A
Packing Details: 10000pcs/ctn; 14kgs/ctn; 0.011cbm/ctn

LD3602 Lanyard

Unit Dimension: 1.8mm Dia
Plastic Color: White or Customized
Lanyard Type: Metal Cable
Lanyard Length: 175mm or Customized
Lanyard Color: Black, White or Customized
Packing Details: 5000pcs/ctn; 13kgs/ctn; 0.022cbm/ctn

LD3603 Lanyard

Unit Dimension: 1.8mm Dia
Plastic Color: White or Customized
Lanyard Type: Metal Cable
Lanyard Length: 175mm or Customized
Lanyard Color: Black, White or Customized
Packing Details: 5000pcs/ctn; 10kgs/ctn; 0.018cbm/ctn

LD3604 Lanyard-TB

Unit Dimension: 4mm Dia
Plastic Color: Clear or Customized
Lanyard Type: Metal Cable
Lanyard Length: 150mm or Customized
Lanyard Color: Clear or Customized
Packing Details: 2000pcs/ctn; 17kgs/ctn; 0.022cbm/ctn

LD3606 Lanyard

Unit Dimension: 1.8mm Dia
Plastic Color: White or Customized
Lanyard Type: Metal Cable
Lanyard Length: 209mm or Customized
Lanyard Color: Black, White or Customized
Packing Details: 5000pcs/ctn; 23kgs/ctn; 0.028cbm/ctn

OS0092 AM Deactivator

Characteristics:
* Compact design, requires little space at the POS;
* Audible and visual confirmation after deactivation;
* Deactivating AM labels up to 15cms above the pad;
* Via connection with PC, can adjust the synchronization with antennas nearby;
* "Detection only" mode is available.

Dimensions and weights:
* LxWxD: 235x210x45mm
* Weight: 1.2kg

Electrical Specifications:
* Input power: 25W
* Input voltage: 110/240VAC

Color:
* Customized

Debugging cable optional

OS0143 AM Deactivator

Characteristics:
* Main deactivator can drive 1 slave deactivator by 3 meter electric wire;
* Detection mode and deactivation mode switchable based on client demand;
* Audible and visual confirmation that the label has been detected or deactivated;
* Deactivating AM labels up to 10cm for main pad, bit lower for slave pad.

Dimensions and weights:
* LxWxD: 280*240*70mm
* Weight: 0.9kg

Electrical Specifications:
* Input power: 25W
* Input voltage: 110/240VAC

Color:
* Customized

Debugging cable optional

OS0025 AM Deactivator

Characteristics:
* Compact design;
* Easy to operate.

Dimensions and weights:
* LxWxD: 157x106x5mm
* Weight: 0.24kg

Electrical Specifications:
* Input power: N/A
* Input voltage: N/A

Color:
* Black

OS0021 RF 8.2MHz Deactivator

Characteristics:
* Superb label deactivation performance
* The OS0021 deactivated labels up to 15cm in one-to-one mode, 10cm in One-to-two mode. Label detection rate at 2 pcs/second
* Reliable audible and visual indication of deactivation

Dimensions and weights:
* LxWxD: 290x150x70mm
* Weight: 4kg

Electrical Specifications:
* Input power: 25W
* Input voltage: 110/240VAC

Color:
* Customized

OS0022 RF 8.2MHz Digital Deactivator

Characteristics:
* Superb label deactivation performance
* The OS0022 deactivated labels up to 20cm above the pad in the normal mode. Label detection rate at 2 pcs/second
* Reliable audible and visual indication of deactivation
* Plug and Play Mounting options allow table top or flush mounting

Dimensions and weights:
* LxWxD: 243x233x26mm
* Weight: 995g

Electrical Specifications:
* Input power: 25W
* Input voltage: 110/240VAC

Color:
* Customized

OS0041 RF 8.2MHz Digital Deactivator (Split Version)

Characteristics:
* 20cm deactivation height above the pad in the normal mode;
* Label detection rate at 2pcs/sec;
* Reliable audible and visual indication;
* Both available in table top or flush mounting;

Dimensions and weights:
* LxWxD: 243x233x26mm
* Weight: 1.2kg

Electrical Specifications:
* Input power: 25W
* Input voltage: 110/240VAC

Color:
* Customized

OS0023 RF 8.2MHz Hand Verifier

Frequency
8.2MHz

Primary Input
N/A

Measurement
160x73x35mm

Weight
143g

Color Availability
Grey or customized

Packing Details
Customized

Key Features
.Battery Life, Alarm: 24hours
.Detection Distance: Max. 20cm
.Unit QTY Per Carton: 56pcs
.Buzzer, dB at 1 meter: 70dB
.Buzzer, Alarm: Continuous beep up to 70 dB
.LED, Alarm: Continuous flash
.Power ON/OFF method: Keep pressing the START button

Voltage
9V

OS0024 RF 8.2MHz Hand Verifier & Deactivator

Frequency
8.2MHz

Primary Input
110-240Vac

Measurement
280x70x33mm

Weight
390g

Color Availability
Black or customized

Packing Details
Customized

Key Features
.Battery INFO: 1.Rechargable LI-ON Battery; 2.The battery can be used for two years; 3.The charge time is about 2-3 hours; 4.Can work 500 times; 5.AC/DC adapter included
.Low Battery Indication: Not available
.Buzzer, dB at 1 meter: The buzzer will keep continuously up to 100dB
.LED, Alarm: 1.Red and blue LED; 2.Reliable audible and visual indication of detection and deactivation
.Power ON method: Keep pressing the START button
.Detection Distance: For small square tag or 40x40mm paper label, the distance is 17cm
.Deactivation Distance: For RF 40x40mm paper label, the distance is 15cm
.CE Certification: Available

Voltage
12V

OS0027 Wireless People Counter

Measurement
113x67x20mm

Weight
300g

Color Availability
Grey or customized

Packing Details
25pcs/ctn; 7kgs; 0.033cbm/ctn

Key Features
.Easy data retrieval by date or by hour
.Counter Management via Windows, no extra software required
.1.15 inch blue screen LCD display makes it easy on the eyes
.Internal memory capable of storing for up to 500 hours(Per hour per entry)
.Replaceable battery operated for a truly wireless installation
.Counts across span up to 4 meters
.Integrated mounting set or optional ABS plastic seat
.Setting & preferences are managed locally by key board on the counter
.LCD screen background- light turn- ON/OFF when only people access
.Power on/off timer for long battery life
.Lower battery indicator on LCD screen
.Two languages for operation(English / Mandarin)
.LED indication for weak signal
.Traffic data on desktop display for immediate inquiry
.Capable to be built into EAS Antenna to work together with system

OS0039 New Wireless People Counter

Primary Input
110-220V AC

Measurement
87x59x27mm

Weight
650g

Color Availability
Black or customized

Packing Details
Customized

Key Features
.Easy data retrieval by date or by hour
.Counter Management via Windows, no ectra software required
.1.15 inch blue screen LCD display ameks it easy on the eyes
.Internal memory capable of storing for up to 500 hours(Per hour per entry)
.Replaceable battery operated for a truly wireless installation
.Counts across span up to 4 meters
.Integrated mounting set or optional ABS plastic seat
.Setting & preferences are managed locally by key board on the counter
.LCD screen background- light turn- ON/OFF when only people access
.Power on/off timer for long battery life
.Lower battery indicator on LCD screen
.Two languages for operation(English / Mandarin)
.LED indication for weak signal
.Traffic data on desktop display for immediate inquiry
.Capable to be built into EAS Antenna to work together with system
.Tiny shape with excellent performance
.Charge available both by electrity and battery